



ज्वार अनुसंधान निदेशालय
DIRECTORATE OF SORGHUM RESEARCH
(भारतीय कृषि अनुसंधान परिषद/Indian Council of Agricultural
Research)

राजेन्द्रनगर, हैदराबाद/Rajendranagar, Hyderabad-500030
Phone: 24015349, 24018651, Fax no.24016378



TENDER NOTICE

F.No: 1-509/11-12/ST

Date:04.02.12

To

.....
.....
.....
.....

Dear Sir,

We have a requirement of the goods & services as indicated below, you are invited to submit your most competitive tender for the same (equipment-wise separate tender must be submitted) . All the relevant details are given below.

1. The last date for submission of quotation by **12:30 PM** on. **28.02.2012**
2. Tender will be opened **at 1:30 PM on. 28.02.2012**
3. **Rs.200/-** for each item / equipment separately as tender fees
4. **EMD @2%** on the quoted price should be enclosed with the quotation, Otherwise your tender will not be considered.
5. Demand drafts drawn in favour of **ICAR Unit – DSR Account**, payable at Hyderabad.
6. The validity of your quotation must be valid for a period of 90 days.
7. Only the successful bidder EMD will be kept with this office. The unsuccessful bidders EMD's will be returned as it is.
 - i) Description of the goods required and the required quantity :
As enclosed in Annexure – 1
 - ii) Guiding specification and other technical details :
As enclosed in Annexure – 2
 - iii) Terms of delivery : delivery at site, viz. Director,
Directorate of Sorghum Research,
Rajendranagar, Hyderabad – 500 030.
 - iv) Delivery period for goods : Within **6 to 7** weeks from the date of the purchasers signing the contract.

- v) Erection / installation and commissioning (if required, depending on the goods ordered) are to be completed within **7 - 10** days of delivery of the goods at site.
- vi) Terms of Inspection by the purchaser's representative at **D.S.R. Rajendranagar, Hyderabad – 500 030.**
- vii) Training of purchaser's operator(s) for operating the goods ordered, as and if necessary **2** operator(s) is / are to be trained for a period of One week at purchaser's premises / supplier's premises for successfully operating the goods purchased. The training shall be completed by **One week.** Or depending on the operation of the equipment.
- viii) Price structure :
- a) The tenderer shall quote for the complete requirement of goods & services and for the full quantity as shown against a serial number in the list of requirements in Annexure – 1. Unless otherwise specified in Annexure – 1, the tenderers are, however, free not to quote against all the serial numbers mentioned in the list of requirements (in case there are more than one serial number in the list of requirements).
 - b) The rates and prices quoted shall be in Indian Rupees or in foreign currency for imported equipments (FOB value).
 - c) All duties, taxes and levies payable by the supplier under the contract shall be included in the quoted price. The purchaser will not pay any such duties, taxes and levies separately. “However, sales Tax, as legally and contractually, leviable will be quoted separately by indicating the nature and the current rate of sales Tax, as applicable at the time of quoting. The Sales Tax will be paid extra at actual at the time of supply, provided the transaction of sale is legally liable to sales Tax and the amount of the sales Tax is contractually payable. If the supplier in its quotation does not ask for sales Tax extra, the same shall not be paid even if it asks for the same at a later date.
 - d) The rates and prices quoted by the supplier shall remain firm and fixed during the currency of the contract and shall not be subject to variation on any account, whatsoever, including statutory variations, if any. “However, sales Tax will be paid extra as per provision under Clause viii (C) above”
- ix) Receipt of goods & Terms of payment:
- a) Payment term for supply of goods, including erection / installation and commissioning (as and if applicable).
Immediately on receiving the goods at site, the purchaser will verify the quantities of the items supplied as specified in the delivery challan of the supplier and also check for any superficial damage etc., in the goods so supplied and issue a provisional receipt accordingly. If the goods supplied do not require erection / installation and commissioning at site, the purchaser, within three working days of issue of the provisional receipt, will issue acceptance certificate (of the goods) to the supplier, provided the goods supplied are acceptable in terms of the contract. However, if the goods supplied also need erection / installation and commissioning, the purchaser will issue acceptance certificate within two working days, after successful erection / installation and commissioning. The supplier will then send its invoice along with the purchase's acceptance certificates and other accompanying documents to the paying authority for payment.

The paying authority will realize the full payment to the supplier as due in terms of the contract, within seven working days of receipt of supplier's invoice, purchaser's receipt certificate and other accompanying documents, provided the same are in order.

“While claiming reimbursement for sales Tax, the supplier shall furnish the following certificate duly dated and signed, on its bill”

“Certified that the goods on which sales Tax has been charged have not been exempted under the Central Sales Tax Act or State Sales Tax Act or the rules made there under and the charges on account of sales Tax on these goods are correct under the provisions of that Act or the Rules made there under. Certified further that we are registered as dealers for the purpose of Sales Tax in the State of Under registration number We further confirm that the amount of Sales Tax shown in the bill against this contract is correct in terms of above provisio”

- b) Payment for training of purchaser's operator(s) if a applicable.

After release of payment to the supplier as per sub-para (a) above and after successful completion of training of the operator(s) in terms of the contract, the purchaser will immediately issue a certificate to this effect to the supplier. The supplier will thereafter send its invoice for training charges, along with the above certificate to the paying authority. The paying authority will release the payment to the supplier in terms of the contract within seven working days of receipt of supplier's invoice provided the invoice and the accompanying documents are in order.

- x) Paying Authority : Director,
Directorate of Sorghum Research,
Rajendranagar, Hyderabad – 500 030.

- xi) Liquidated Damage Clause :

If any time during the performance of the contract, the supplier encounters conditions hindering timely delivery of the goods, the supplier shall promptly inform the purchaser in writing the fact of the delay and the likely duration of the same. After receipt of supplier's communication, the purchaser shall decide as to whether to cancel the contract for the un-supplied portion after the existing delivery period, or to extend the delivery period suitably by issuing an amendment to the contract. If the supplier fails to deliver the goods and / or perform the services within the contractual delivery period for reasons other than circumstances beyond supplier's control (which will be determined by the purchaser) and the purchaser extends the delivery period, the purchaser will also deducted from the contract price, as liquidated damages, a sum equivalent to 0.5% (half per cent) of the delivered price of the delayed goods or unperformed services for each week of delay or part thereof until actual or performance. The maximum limit of such deduction will, however, be 10% (ten per cent) of the contract price of the delayed goods or services.

In case of non-supply of the items beyond the time – span give for delivery, the liquidated damages will be deducted from the EMD/Security amount, apart from other legal actions.

Further, during such delayed period of supply and or performance, the supplier shall not be entitled to any increase in price and cost, whatsoever, on any ground. However, the purchaser shall be entitled to the benefit of any decrease in price and cost on any ground, whatsoever, of the goods & services, supplied during the period of delay.

The purchaser's letter (to the supplier, with copies endorsed to others concerned) extending the delivery period will be subject to the above condition.

xii) a) Warranty Clause : **One year from date of installation of the equipment / Item.**

b) **Performance Security** :

The successful bidder will have to pay Performance Security within 21 (twenty one) days after the issue of purchase order by the purchaser, the supplier, shall furnish performance security to the purchaser for an amount of 10% (ten per cent) of the contract value, valid up to 60 (sixty) days after the date of completion of the contractual obligations by the supplier, including the warranty obligations. However, EMD will be returned on receipt of security amount.

xiii) Dispute Resolution Mechanism

If any dispute or difference arises between the purchaser and the supplier relating to any matter connected with the contract, the parties shall make every effort to resolve the same amicably by mutual discussions. However, if the parties fail to resolve the dispute or difference by such mutual discussion within 30 days, either the purchaser or the supplier may give notice to the other party of its intent to refer the same to arbitration. The arbitration shall commence thereafter. The arbitration shall be conducted by a sole arbitrator, who will be appointed by the Secretary, ICAR and the procedure to be followed in this respect will be as per the Indian arbitration and conciliation Act, 1996. The venue, of the arbitration shall be the place from where the contract is issued.

2. **You are also required to fulfill the following conditions and furnish the details as indicated in subsequent paragraphs.**

- a) At the time of awarding the contract, the purchaser reserves the right to increase or decrease by up to 25%, the quantity of goods & services as specified in the list of requirement, without any change in the unit price or other terms & conditions.
- b) Please furnish a certified copy of your latest ITCC (Income Tax Clearance Certificate).
- c) Please indicate if you are currently registered with any Govt. organization and if registered, furnish all relevant details.
- d) Please state whether business dealings with you presently stand banned by any Government organization and, if so, furnish relevant details.
- e) A supplier shall not submit more than one quotation for the same set of goods.
- f) The supplier shall at all times indemnify the purchaser, at no cost to the purchaser, against all third party claims of infringement of patent, trademark or industrial design rights arising from the use of the goods or any part thereof, with respect to the goods quoted by the supplier in its offer.
- g) The tender(s) as well as the contract shall be written in English language. All correspondence and other documents pertaining to the quotation(s) and the contract, which the parties exchange, shall also be written in English.

The tender and all correspondence and documents relating to the tenders exchanged between the bidder and the purchaser may also be written in Hindi language provided that the same is accompanied by an English translation, in which case, for the purpose of interpretation of the quotation, the English translation shall govern.

- h) Please mention your Tax Identification Number (TIN) along with a copy certificate of Registration.
 - i) The contract shall be governed by the laws of India and interpreted in accordance with such laws.
 - j) **The Tender / offer shall remain valid for acceptance for a period not less than 90 days after the specified date of opening of the offer.**
3. Separate Tenders for each equipment shall be submitted in sealed envelopes. The envelope shall be addressed to the Director, D.S.R. Rajendranagar, Hyderabad – 500 030. (Purchaser) and it should also bear the tender enquiry number and the words “DO NOT OPEN BEFORE at **1.30 PM on 28.02.2012** (* The time and date of opening of the tenders). These envelopes should then be put inside another envelope, which will also be duly sealed. The outer envelope will bear the full address of the purchaser. The supplier must ensure that its tender (i.e quotation), duly sealed as above , reaches the purchaser at least one hour before the time and date of opening of tenders. The supplier may, at its choice, send the tender by Regd. Post or by speed post. Alternatively, the supplier may also hand deliver the tender to the purchaser in which case it has to be dropped in the tender box kept in the office. No receipt will be issued separately.
 4. The tenders, which are received late i.e. after **12.30 PM on 28.02.2012** by the purchaser will be ignored. Further, the purchaser does not accept any liability and responsibility for the tenders in case the same are not properly sealed & marked and / or sent as above.
 5. The tenders, which are received in time will be opened at purchasers office at **1:30 PM on 28.02.2012**. The purchaser will open the tenders in the presence of the tenderers duly authorized representatives, who choose to attend the tender opening.
 6. The purchaser will evaluate and compare the tenders which are substantially responsive i.e which are properly prepared & signed and meet the required terms, conditions, specification etc. The purchaser will award the contract to the supplier whose tender will be determined to be responsive and offering the best evaluated price.
 7. Notwithstanding the above, the purchaser reserves the right to accept or reject any tender or annul the tendering process and reject all tenders at any time prior to award of the contract, without assigning any reason, whatsoever, and without incurring any liability or obligation, whatsoever, to the affected tender or tenders.
 8. Please submit your tender accordingly. You shall sign all the pages of your tender. Your price tender may be furnished in the format enclosed as Annexure 3.
 9. You are also required to return this original tender enquiry (all the pages), as it is, duly signed by you on every page, for our record. You may retain a photocopy of this tender enquiry for your record.

Encl : Annexures 1,2 & 3.

Yours faithfully,

(W. Sreenivas Bhat)
Sr. Admn. officer I/c.

LIST OF REQUIREMENTS

S No.	Description of Goods and allied services	Accounting Unit	Quantity
01	Dietary Fiber Analyzer	1	1
02	Atomic Absorption Spectroscopy (AAS)	1	1
03	Near Infrared Spectrometer (NIR)	1	1
04	High pressure liquid chromatography (HPLC)	1	1
05	Data Loggers	1	1
06	GPS	1	1

Equipment requirements for value addition and food processing laboratory

S. No	Name of the Equipment	Major Specifications	Purpose	Appr. Cost (in lakhs)
01.	Dietary Fiber Analyser	Rapid determination of total content of dietary fiber as well as the insoluble and soluble fibers separately in grains and foods using established methods as approved by AOAC &/or AACC; standard enzyme; rapid filtration; high incubation; batch analysis; shall provide required accessories. Technical support for installation and analysis of samples.	Analysis of dietary fiber (Soluble and insoluble fiber)	15.1
02.	Atomic Absorption Spectroscopy (AAS)	Atomic Absorption Spectroscopy (AAS) with Deuterium background corrector and 4 lamp turret; double beamed optical system; high efficiency solid-state detector; high resolution monochromator; Hollow cathode lamp; 189-900 nm wavelength or better; Pre-requisite for installation such as acetylene regulator; Exhaust fume hood; acetylene gas cylinder; software for lamp setup, flame control, standard accessories like auto sampler etc. PC, Printer along with 1 KVA UPS. Technical support for installation, sample preparation and analysis of the samples.	Analysis of Minerals (Fe, Ca, Zn, Mg, Ph, Mn & Cu etc.) precisely	24.3
03.	Near Infrared Spectrometer (NIR)	Wide spectral range of 14700-2000 cm^{-1} ; Standard Resolution: 1 cm^{-1} or better; Tungsten halogen source-User replaceable; Detector- Transmission type with temperature- stabilized fast recovery deuterated triglycine sulfate (FR-TGS). Multi-layer calcium fluoride beam splitter; High Wavelength accuracy and Repeatability; Able to analyse samples with very less time and high accuracy; High life time of lamp; wide operating temperature; Standard accessories; PC/Laptop with printer along with 1 KVA UPS; Technical support for installation, sample preparation and analysis of the samples.	Analysis of amylose, amylopectin, protein, fat, crude fiber, moisture in grain and food product samples with high precision	30.0
04.	High pressure liquid chromatography (HPLC)	Lower particle size chemistry of 1.7 μ ; Maximum Operating Pressure 15,000 or better. Integrated configuration for binary pumps/ solvent manager; Operating Flow Rate Range to be 0.010 to 2.000 mL/min, in 0.001 mL or better; Composition Accuracy +/- 0.5% absolute; Flow Precision 0.075% RSD; Composition Precision 0.15% RSD; Auto sampler with samples injections 1-99 or more; Injector Linearity >0.999; Injection Cycle Time 45 sec or better; sample temperature 4-40° c; Sample Carryover < 0.005% or better; Photodiode array optical detector (Fluorescence and UV) with wide range and high accuracy; Laptop with colour printer along with 1 KVA UPS; Specialized Amino Acid (AA) Analysis kits for FASTER analysis of AA. Chromatography software with integrated database preferably Oracle current version 32 Bit architecture, for easy tracking and trending of Processing Method, Report Method, Custom calculations. Technical support for installation, sample preparation and analysis of the samples.	Analysis of amino acid composition, vitamins and phytochemicals (tannins & phytates) more precisely	40.0

05	Data Loggers	<p><u>Platform:</u> P A270 624 MHz processor or above, 1 GB ROM, 256 MB RAM or above;</p> <p><u>Operating System:</u> Windows Mobile classic / professional;</p> <p><u>Wireless communications:</u> LAN Ethernet, GPRS EDGE, Integrated Bluetooth;</p> <p><u>User interface:</u> Color / Touch screen display (3.7 display, Full VGA 480 x 640 resolution), Keyboard alphanumeric;</p> <p><u>Expansion slots</u> – SD / MMC memory card slot / USB slots / Flex cable interface support, Latest software; RFID Module / External connectors;</p> <p>A complete list of accessories may be given.</p>		0.60																																																												
06	GPS	<table border="1"> <thead> <tr> <th colspan="2" data-bbox="456 499 1232 548">Physical & Performance:</th> </tr> </thead> <tbody> <tr> <td data-bbox="456 554 753 590">Unit dimensions, WxHxD:</td> <td data-bbox="758 554 1232 590">2.3" x 4.5" x 1.4" (5.8 x 11.4 x 3.5 cm)</td> </tr> <tr> <td data-bbox="456 596 753 653">Display size, WxH:</td> <td data-bbox="758 596 1232 653">1.53"W x 2.55"H (3.8 x 6.3 cm); 3" diag (7.6 cm)</td> </tr> <tr> <td data-bbox="456 659 753 695">Display resolution, WxH:</td> <td data-bbox="758 659 1232 695">240 x 400 pixels</td> </tr> <tr> <td data-bbox="456 701 753 737">Display type:</td> <td data-bbox="758 701 1232 737">Transflective color TFT touchscreen</td> </tr> <tr> <td data-bbox="456 743 753 779">Weight:</td> <td data-bbox="758 743 1232 779">6.8 oz (192.7 g) with batteries</td> </tr> <tr> <td data-bbox="456 785 753 821">Battery:</td> <td data-bbox="758 785 1232 821">2 AA NiMH batteries included</td> </tr> <tr> <td data-bbox="456 827 753 863">Battery life:</td> <td data-bbox="758 827 1232 863">16 hours</td> </tr> <tr> <td data-bbox="456 869 753 905">Waterproof:</td> <td data-bbox="758 869 1232 905">yes (IPX7)</td> </tr> <tr> <td data-bbox="456 911 753 947">Floats:</td> <td data-bbox="758 911 1232 947">no</td> </tr> <tr> <td data-bbox="456 953 753 989">High-sensitivity receiver:</td> <td data-bbox="758 953 1232 989">yes</td> </tr> <tr> <td data-bbox="456 995 753 1031">Interface:</td> <td data-bbox="758 995 1232 1031">high-speed USB and NMEA 0183 compatible</td> </tr> <tr> <td data-bbox="456 1037 753 1073">RoHS version available:</td> <td data-bbox="758 1037 1232 1073">yes</td> </tr> <tr> <th colspan="2" data-bbox="456 1079 1232 1127">Maps & Memory:</th> </tr> <tr> <td data-bbox="456 1134 753 1169">Basemap:</td> <td data-bbox="758 1134 1232 1169">yes</td> </tr> <tr> <td data-bbox="456 1176 753 1211">Preloaded street maps:</td> <td data-bbox="758 1176 1232 1211">no</td> </tr> <tr> <td data-bbox="456 1218 753 1253">Ability to add maps:</td> <td data-bbox="758 1218 1232 1253">yes</td> </tr> <tr> <td data-bbox="456 1260 753 1295">Built-in memory:</td> <td data-bbox="758 1260 1232 1295">850 MB</td> </tr> <tr> <td data-bbox="456 1302 753 1337">Accepts data cards:</td> <td data-bbox="758 1302 1232 1337">microSD™ card (not included)</td> </tr> <tr> <td data-bbox="456 1344 753 1379">Waypoints/favorites/locations:</td> <td data-bbox="758 1344 1232 1379">2000</td> </tr> <tr> <td data-bbox="456 1386 753 1421">Routes:</td> <td data-bbox="758 1386 1232 1421">200</td> </tr> <tr> <td data-bbox="456 1428 753 1463">Track log:</td> <td data-bbox="758 1428 1232 1463">10,000 points, 200 saved tracks</td> </tr> <tr> <th colspan="2" data-bbox="456 1470 1232 1518">Features:</th> </tr> <tr> <td data-bbox="456 1524 753 1581">Automatic routing (turn by turn routing on roads):</td> <td data-bbox="758 1524 1232 1581">yes (with optional mapping for detailed roads)</td> </tr> <tr> <td data-bbox="456 1587 753 1623">Electronic compass:</td> <td data-bbox="758 1587 1232 1623">yes (tilt-compensated, 3-axis)</td> </tr> <tr> <td data-bbox="456 1629 753 1665">Touchscreen:</td> <td data-bbox="758 1629 1232 1665">yes</td> </tr> <tr> <td data-bbox="456 1671 753 1707">Barometric altimeter:</td> <td data-bbox="758 1671 1232 1707">yes</td> </tr> <tr> <td data-bbox="456 1713 753 1749">Geocaching-friendly:</td> <td data-bbox="758 1713 1232 1749">yes (paperless)</td> </tr> <tr> <td data-bbox="456 1755 753 1812">Camera:</td> <td data-bbox="758 1755 1232 1812">yes (3.2 megapixel with autofocus; 4x digital zoom)</td> </tr> <tr> <td data-bbox="456 1818 753 1854">Outdoor GPS games:</td> <td data-bbox="758 1818 1232 1854">yes (Whereigo only)</td> </tr> </tbody> </table>	Physical & Performance:		Unit dimensions, WxHxD:	2.3" x 4.5" x 1.4" (5.8 x 11.4 x 3.5 cm)	Display size, WxH:	1.53"W x 2.55"H (3.8 x 6.3 cm); 3" diag (7.6 cm)	Display resolution, WxH:	240 x 400 pixels	Display type:	Transflective color TFT touchscreen	Weight:	6.8 oz (192.7 g) with batteries	Battery:	2 AA NiMH batteries included	Battery life:	16 hours	Waterproof:	yes (IPX7)	Floats:	no	High-sensitivity receiver:	yes	Interface:	high-speed USB and NMEA 0183 compatible	RoHS version available:	yes	Maps & Memory:		Basemap:	yes	Preloaded street maps:	no	Ability to add maps:	yes	Built-in memory:	850 MB	Accepts data cards:	microSD™ card (not included)	Waypoints/favorites/locations:	2000	Routes:	200	Track log:	10,000 points, 200 saved tracks	Features:		Automatic routing (turn by turn routing on roads):	yes (with optional mapping for detailed roads)	Electronic compass:	yes (tilt-compensated, 3-axis)	Touchscreen:	yes	Barometric altimeter:	yes	Geocaching-friendly:	yes (paperless)	Camera:	yes (3.2 megapixel with autofocus; 4x digital zoom)	Outdoor GPS games:	yes (Whereigo only)		0.40
Physical & Performance:																																																																
Unit dimensions, WxHxD:	2.3" x 4.5" x 1.4" (5.8 x 11.4 x 3.5 cm)																																																															
Display size, WxH:	1.53"W x 2.55"H (3.8 x 6.3 cm); 3" diag (7.6 cm)																																																															
Display resolution, WxH:	240 x 400 pixels																																																															
Display type:	Transflective color TFT touchscreen																																																															
Weight:	6.8 oz (192.7 g) with batteries																																																															
Battery:	2 AA NiMH batteries included																																																															
Battery life:	16 hours																																																															
Waterproof:	yes (IPX7)																																																															
Floats:	no																																																															
High-sensitivity receiver:	yes																																																															
Interface:	high-speed USB and NMEA 0183 compatible																																																															
RoHS version available:	yes																																																															
Maps & Memory:																																																																
Basemap:	yes																																																															
Preloaded street maps:	no																																																															
Ability to add maps:	yes																																																															
Built-in memory:	850 MB																																																															
Accepts data cards:	microSD™ card (not included)																																																															
Waypoints/favorites/locations:	2000																																																															
Routes:	200																																																															
Track log:	10,000 points, 200 saved tracks																																																															
Features:																																																																
Automatic routing (turn by turn routing on roads):	yes (with optional mapping for detailed roads)																																																															
Electronic compass:	yes (tilt-compensated, 3-axis)																																																															
Touchscreen:	yes																																																															
Barometric altimeter:	yes																																																															
Geocaching-friendly:	yes (paperless)																																																															
Camera:	yes (3.2 megapixel with autofocus; 4x digital zoom)																																																															
Outdoor GPS games:	yes (Whereigo only)																																																															

		<table border="1"> <tr> <td>Hunt/fish calendar:</td> <td>yes</td> </tr> <tr> <td>Sun and moon information:</td> <td>yes</td> </tr> <tr> <td>Tide tables:</td> <td>yes</td> </tr> <tr> <td>Area calculation:</td> <td>yes</td> </tr> <tr> <td>Custom POIs (ability to add additional points of interest):</td> <td>yes</td> </tr> <tr> <td>Unit-to-unit transfer (shares data wirelessly with similar units):</td> <td>yes</td> </tr> <tr> <td>Picture viewer:</td> <td>yes</td> </tr> </table> <p>What's in the Box:</p> <ul style="list-style-type: none"> <input type="radio"/> AA battery charger <input type="radio"/> 2 AA NiMH batteries <input type="radio"/> Carabiner clip <input type="radio"/> USB cable <input type="radio"/> Owner's manual on disk <input type="radio"/> Quick start manual 	Hunt/fish calendar:	yes	Sun and moon information:	yes	Tide tables:	yes	Area calculation:	yes	Custom POIs (ability to add additional points of interest):	yes	Unit-to-unit transfer (shares data wirelessly with similar units):	yes	Picture viewer:	yes		
Hunt/fish calendar:	yes																	
Sun and moon information:	yes																	
Tide tables:	yes																	
Area calculation:	yes																	
Custom POIs (ability to add additional points of interest):	yes																	
Unit-to-unit transfer (shares data wirelessly with similar units):	yes																	
Picture viewer:	yes																	

FORMAT OF TENDER PRICE

Serial No.	Description of goods & allied services	Specifications	Accounting unit	Qty	Quoted unit Price in Rs.		Total amount in Rs.
					In Figures	In words	

Grand Total Cost Rs.

We agree to supply the above goods & allied services. We confirm that the same will meet the description, specification and other technical details as required in the tender enquiry.

“ Details of applicable Sales Tax to be paid extra and the current rate of the same:

We confirm, that we agree to all other terms & conditions of your tender enquiry including the terms of delivery, period of delivery and warranty provision.

We have furnished all the information, as required in the tender enquiry and attached the relevant documents.

(In case a tenderer desires to put some additional / modified stipulations, terms & conditions etc. the same may be clearly indicated).

We confirm that our offer will remain valid for acceptance for **90** days after the date of opening of tenders.

.....

(Signature, name and designation of the authorized executive of the tendering firm)

For and on behalf of
(Name and address of the tendering firm)

.....
(Seal of the tendering firm)

Date :

Place:

CHECK LIST

Minimum requirements to be checked at the time of opening the tender by Committee

1	Tender Fees	Y/N
2	EMD @ 2% DDNo. Dt:	Y/N
3	Validity of the Quotation : 90 Days	Y/N
4	Delivery Period : 6-7 Weeks	Y/N
5	Errection/Installation: 7 to 10 days	Y/N
6	Warranty : One year	Y/N
7	Latest Income Tax Clearance Certificate	Y/N
8	Registration with Govt. Organization	Y/N
9	One Supplier One Quotation only	Y/N
10	Tax Identification Number copy of Registration Certificate	Y/N
11	Sign of the Firm or all pages	Y/N
12	Price Quote must be in the format enclosed Annex-2	Y/N
13	ORIGINAL-Tender Form must be submitted duly signed and stamped on each page	Y/N